

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:)	Examiner: Ashok Patel
	:	
KINYA KAMIGUCHI)	Group Art Unit: 2879
	:	
Appln. No.: 10/726,548)	Patent No.: 7,049,737 B2
	:	
Filed: December 4, 2003)	Issued: May 23, 2006
	:	
For: ANODE-TERMINAL COVER AND)	Confirmation No.: 5498
DISPLAY HAVING THE SAME	:	
		November 7, 2006

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Attention: CERTIFICATE OF CORRECTION BRANCHREQUEST FOR CERTIFICATE OF CORRECTION UNDER RULE 322

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes. A Certificate of Correction form (Form PTO-1050) is enclosed.

Patentee's undersigned attorney may be reached by telephone in our Washington, D.C. office at (202) 530-1010. All correspondence should be directed to our address given below.

Respectfully submitted,

A handwritten signature in dark ink, appearing to read "Daniel S. Glueck", written over a horizontal line.

Daniel S. Glueck
Attorney for Patentee
Registration No. 37,838

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
Facsimile: (212) 218-2200

DSG/flp/eyw

DC_MAIN 253444v1

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,049,737 B2
DATED : May 23, 2006
INVENTOR(S) : KINYA KAMIGUCHI

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

ON THE TITLE PAGE

At Item (56), Foreign Patent Documents, "200195449" should read --2000-195449--.

Staple
Here
Only!

PRINTERS TRIM LINE

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,049,737 B2

No. of add'l. copies
@ 30¢ per page

